

BMCM Produkte sind in der Regel ab Lager erhältlich.

Bei einer Bestellung von nur 1 Stück erheben wir einen Kleinmengenzuschlag von Euro 15.-

Bei speziellen Lieferungen, sowie Express Sendungen erheben wir einen Zuschlag.

Alle Preise exkl. MwSt + Versandkosten

Artikelnummer	Bezeichnung 1	Preis €
SC-0R1	Stromshunt; 0,1Ohm, 1%, 3W, 4-Leiteranschluss	19,00
SC-A100	Schocksensor, +/-100G, OUT: 40mV/g, 10Hz..1kHz	19,00
SC-D300	Distanzlastsensor, 40..300mm, Vcc 5V	19,00
SC-D800	Distanzlastsensor, 100..800mm, Vcc 5V	19,00
SC-F10	Kraftsensor, 0..10kg, 2M..3kOhm	9,00
SC-H100	Feuchtesensor, 0..100% rel. Feuchte	19,00
SC-I10	AC-Stromsensor, 1-10A AC	9,00
SC-L25	Leuchtstärkehalbleitersensor, 0..25µW/qcm	9,00
SC-M1000	Magnetfeldhalbleitersensor, +/-1000G, Vcc 5V	9,00
SC-P50	Drucksensor, +/-50kPa = +/-0,5bar	19,00
SC-R1	Stromshunt, 1Ohm, 1%, 3W	9,00
SC-S100	Schallsensor, Mikrofonkapsel 23mm	9,00
SC-T100	Temperaturhalbleitersensor, 0..100°C, Vcc 5V	9,00
SC-TK350	Thermoelement Typ K, 2m Draht mit verschweißter Spitze und Stecker	19,00
SC-TP300	Temperatursensor PT100, 0..500°C, Keramikelement	9,00
SC-U230	AC-Trafo, 230/6V AC	9,00
SD-LS1	Gabellichtschranke (Infrarot)	9,00
SD-LS2	Reflexlichtschranke (Infrarot)	9,00
SD-MAG	10-er Satz Magnete NdFeB	9,00
SD-MS1	Neigungsschalter	9,00
SD-MS2	Bewegungsschalter	9,00
SD-PS1	Positionsschalter (Hall)	9,00
SD-PS2	Positionsschalter (Read-Schalter)	9,00
SD-RS1	Drehgeber (24=15°)	9,00
SD-SW1	Mikroschalter	9,00
SD-SW2	Füllstandsschalter	9,00
SD-TS1	Temperaturschalter (70°C)	9,00
SD-TS2	Temperaturschalter (100°C)	9,00
SD-UKA	USB Kabel für 5V Versorgung	9,00
SG-1X1000	Einzeldehnmessstreifen, Widerstand 1000Ohm	9,00
SG-1X350	Einzeldehnmessstreifen, Widerstand 350Ohm	9,00
SG-2X350	Halbbrücken-DMS, Widerstand 350Ohm	9,00
SG-4X350	Vollbrücken-DMS, Widerstand 350Ohm	9,00
SG-GLUE603	Polyurethan Kleber für Dehnmessstreifen, -30..+60°C	39,00
SG-GLUE610	Epoxy Kleber für Dehnmessstreifen, -270..+370°C	39,00
SG-GLUE711	Cyanoacrylat Kleber für Dehnmessstreifen, 0..+30°C	39,00
SG-KIT	DMS Werkzeugkit	99,00
SG-SILI613	Abdecksilikon für Dehnmessstreifen, -30..+100°C	39,00
SI-AD10	Beschleunigungsaufnehmer, +/-10G, dynamisch	179,00
AABII	Analog Amplifier Box for 8x 5B modules	399,00
AAR-BAN	AAR cassette with 2x 4mm banana sockets (without amplifier)	99,00
AAR-BIN	AAR cassette with 5-pole Binder socket (without amplifier)	99,00
AAR-BNC	AAR cassette with BNC socket (without amplifier)	99,00
AAR-DIN	AAR cassette with 5-pole DIN socket (without amplifier)	99,00
AAR-LEE	AAR blank bracket	9,00
AAR-LEM	AAR cassette with 6-pole LEMO socket (without amplifier)	99,00
AAR-RAC	Analog Amplifier Rack for 16x 5B modules	799,00
AAR-TH-K	AAR cassette with thermocouple socket type K (without amplifier)	99,00
ADP800	automotive Display 800x600, aut. brightness control, 9-45V DC, Audio IN	1499,00
AMS-DIG4	AMS extension by 4x isol. digital in-/outputs (not for AMS42/84-LAN)	349,00
AMS-EXT8	AMS extension for 8 add. 5B slots (not for AMS84-LAN and AMS84-USB)	299,00
AMS-HANDLE	AMS handle	79,00
AMS-HANDLE2	AMS handles, red	79,00
AMS-K-BIN5	AMS cassette with 5-pole Binder socket of the 712 series (without amplifier)	79,00
AMS-K-BLANK	AMS blank bracket	9,00
AMS-K-BNC	AMS cassette with BNC socket (without amplifier)	79,00
AMS-K-CO5	AMS cassette with 5-pole terminal connector (without amplifier)	49,00
AMS-K-THK	AMS cassette with thermo socket (type K, without amplifier)	79,00
AMS42	19" Amplifier System in half size rack format for 8x 5B modules; 42TE width; 3HE height	499,00
AMS42-LAN	19" LAN-measurement system in half size rack format for 8x 5B modules; 42TE width; 3HE height; integrated LAN data acquisition system iM-AD25a	1299,00
AMS42-USB	19" USB measurement system in half size rack format for 8x 5B modules; 42TE width; 3HE height; integrated USB-AD16f data acquisition system	899,00
AMS84	19" Amplifier System for 16x 5B modules; width: 84TE	799,00

BMC M Produkte sind in der Regel ab Lager erhältlich.

Bei einer Bestellung von nur 1 Stück erheben wir einen Kleinmengenzuschlag von Euro 15.-

Bei speziellen Lieferungen, sowie Express Sendungen erheben wir einen Zuschlag.

Alle Preise exkl. MwSt + Versandkosten

Artikelnummer	Bezeichnung 1	Preis €
AMS84-LAN	19" LAN Measurement System for 16x 5B modules; width: 84TE; integrated LAN data acquisition system iM-AD25a	1599,00
AMS84-USB	19" USB measurement system for 16x 5B modules; width: 84TE; integrated USB-AD16f data acquisition system	1199,00
AP2	Analog backPlane for 2x 5B modules incl. DIN rail adapter	79,00
AP8	Analog backPlane for 8x 5B modules incl. DIN rail adapter	279,00
BDA3	brake pressure indicator and CAN-converter incl. mounting plate	1998,00
BDA3-RS232	cable for BDA3 configuration (RS232)	49,00
BP104	PC/104 BackPlane for 8x MAL miniature measuring amplifiers	99,00
BP16	BackPlane for 16x MAL miniature amplifiers with housing	199,00
BP16-PC	BackPlane for 16x MAL miniature measuring amplifiers for PC installation	199,00
BP2	BackPlane for 2x MAL miniature measuring amplifiers with DIN rail adapter	59,00
BP2-BOX	BackPlane for 2x MAL miniature measuring amplifiers with housing	79,00
EPC-DP	display with 4x20 characters, 4 buttons and LEDs	299,00
EPCII-CB-LX800	ePCII CarrierBoard with ETX-CPU LX800, without MiniPCI and PCI+ connector, -25..70°C	799,00
EPCII-CFB	ePCII CompactFlash board	99,00
EPCII-LOG	ePCII data logger, 16 AnIN, 2 AnOUT, 32 Dig I/O, 4x CAN, ModuLab, 2GB CF, case, extended temp. range -25..70°C	2499,00
EPCII-QUAD	embedded PC with LX800 CPU, display, CF slot, -25..70°C, case	1499,00
IM-3250T	network measuring system with 32 analog inputs (TCP/IP)	3499,00
IM-AD25A	network measuring system, 16 analog inputs (TCP/IP); 16bit, 25kHz	999,00
MA-DFI	5B filter module, 10-pole Butterworth filter, adjustable 100Hz..20kHz	199,00
MA-FI	5B filter module, 6-pole Butterworth filter, adjustable 100Hz..10kHz	169,00
MA-FU	5B frequency/voltage converter, 8 measuring ranges	169,00
MA-IF	5B pulse forming module, IN: 1Hz..100kHz, OUT: TTL	169,00
MA-KIT	construction kit for 5B compatible modules	79,00
MA-P09	5B power supply module, +/-9VDC, 4mA, +5VDC (max. 1W)	89,00
MA-P12	5B power supply module, +/-12VDC, 4mA, +5VDC (max. 1W)	89,00
MA-P15	5B power supply module, +/-15VDC, 4mA, +5VDC (max. 1W)	89,00
MA-U	5B voltage amplifier, 50kHz bandwidth, 4 measuring ranges	109,00
MA-UI	5B voltage/current measuring amplifier, 9 measuring ranges	149,00
MA-UNI	5B universal measuring amplifier for U, I, R, AC, SG, CF	199,00
MAD12A	analog input module, max. 100kHz, 12bit resolution	149,00
MAD16A	analog input module, max. 100kHz, 16bit resolution	249,00
MAD16F	analog input module, max. 500kHz, 16bit resolution	349,00
MAL-FI	miniature filter module; fg 40Hz..16kHz customer-specific	79,00
MAL-FU	miniature frequency/voltage converter	79,00
MAL-ISO1	galv. isolating miniature measuring amplifier, +/-1V (+/-20mA)	79,00
MAL-ISO10	galv. isolating miniature measuring amplifier, +/-10V	79,00
MAL-ISO5	galv. isolating miniature measuring amplifier, +/-5V	79,00
MAL-ISO50	galv. isolating miniature measuring amplifier, +/-50V	79,00
MAL-PT100	miniature amplifier for PT100, 0..300°C	79,00
MAL-R1K	miniature measuring amplifier for R=0..1kOhm	79,00
MAL-SEIKA	miniature measuring amplifier for Seika sensors	79,00
MAL-SG2	miniature measuring amplifier for strain gauge +/-2mV/V	79,00
MAL-SG5	miniature measuring amplifier for strain gauge, +/-5mV/V	79,00
MAL-THR	miniature measuring amplifier for thermocouples, 0..1250°C	79,00
MAL-U2I	miniature converter voltage to current; +/-5V to +/-20mA	79,00
MAL-UI	miniature measuring converter for voltage and current	49,00
MCAN	CAN interface module, 2 channels, electrically isolated	249,00
MDA12	analog output module, 2 channels, 12Bit, 10µs settling time	149,00
MDA12-4	analog output module, 4 channels, 12Bit, 10µs settling time	199,00
MDA16-2I	analog output module, 2 isolated channels, 16Bit, 10µs settling time, integrated funktiongenerator	199,00
MDA16-4I	analog output module, 4 isolated channels, 16Bit, 10µs settling time, integrated funktiongenerator	349,00
MDA16-8I	analog output module, 8 isolated channels, 16Bit, 10µs settling time, integrated funktiongenerator	499,00
MEM-ADFO	USB measuring system, 16 AnIN, 1 AnOUT, 8 DigIN, 8 DigOUT	299,00
MEM-INC	USB measuring system, 32kHz, 3 incremental encoders	349,00
MEM-LOG-SE	data logger (USB/RS232), 16 AnIN, 12 bit, 100Hz/channel, 512kB	599,00
MEM-PIO-OEM	40-pole DIP module (USB) with 24 digital channels (TTL level)	59,00
MEM-PIO-OEM-10	40-pole DIP module (USB) w. 24 dig. channels (TTL); packaging unit: 10	499,00
MEM-PIO-OEM-TL	test tool for meM-PIO-OEM; LEDs for all port lines	149,00
NV4	NextView4 Professional - measuring data acquisition and processing software	899,00
NV4-10	10-license package for NextView4 Professional	4999,00
NV4-BOOK	NextView4 manual English	29,00
NV4-BUCH	NextView4 manual German	29,00

BMCM Produkte sind in der Regel ab Lager erhältlich.

Bei einer Bestellung von nur 1 Stück erheben wir einen Kleinmengenzuschlag von Euro 15.-

Bei speziellen Lieferungen, sowie Express Sendungen erheben wir einen Zuschlag.

Alle Preise exkl. MwSt + Versandkosten

Artikelnummer	Bezeichnung 1	Preis €
NV4-CAPI	client software for NextView4 Server	399,00
NV4-SERV	NextView4 Server	599,00
NV4-SERV-UG	NextView4 Server Upgrade from 3.x (1 license per measurement system)	499,00
NV4-UG	upgrade for NextView4 Professional	399,00
NV4-WORK	NextView4 Workstation, only running with NV4 Server	799,00
NV4-WORK-UG	NextView4 Workstation upgrade, only running with NV4 Server	599,00
NV4-WORKM	NextView4 Workstation Manager, only running with NV4 Server	1599,00
NV4AN	NextView4 Analysis for sampled measuring data	299,00
NV4AN-UG	upgrade for NextView4 Analysis	129,00
NV4DEMO	NextView4 demo version	5,00
NV4DP	NextView4 driver package for third-party hardware	299,00
NV4DP-A429	NextView4 driver package for ARINC 429 (TechSAT A429-USB-/ISA-/PCI)	899,00
NV4DP-UG	upgrade for NV4DP	129,00
NV4LITE	NextView4 Lite, for one measuring system only	149,00
NV4LITE-10	10-license package for NextView4 Lite	499,00
NV4LITE-UG	upgrade for NextView4 Lite	59,00
NV4LIVE	NextView4 Live! for displaying measuring data	49,00
NV4SCRIPT	NextView4 script option	399,00
NV4SCRIPT-10	NextView4 script option (10-license)	2499,00
O8	optocoupler card, 8x 5-24V IN	59,00
OI104	optocoupler board (16 DigIN, 16 DigOUT)	149,00
OI16	optocoupler board (16 DigIN, 16 DigOUT)	149,00
OI16-PC	optocoupler board (16 DigIN, 16 DigOUT) for PC mounting	149,00
OR8	optocoupler/relay card with 8 optocouplers and 8 relays incl. DIN rail carrier	99,00
PC104-AD16	PC/104 meas. card, 10µs AD converter, 16 bit, 16 AnIN, 2 AnOUT, 32 Dig I/O	399,00
PC104-CAN	PC/104 board with interfaces 4x CAN	199,00
PC104-CANCOM	PC/104 board with interfaces 4x CAN and 2x COM	299,00
PC104-COM	PC/104 board with 2x RS232 (1x high-speed)	129,00
PC104-PIO48	digital PC/104 I/O card with 48 channels (TTL)	99,00
PC20TR	ISA meas. card, 10µs AD converter, 12 bit, 16 AnIN, 2 AnOUT, 32 Dig I/O	299,00
PCI-BASEII	PCI slotcard, 2 module slots, 1MHz, 16 DigIN, 16 DigOUT	149,00
PCI-PIO	PCI slotcard, 32 digital I/O	89,00
PCI-ZUDIO	module for PCI-BASE, leads digital I/O to Sub-D37	19,00
PCIE-BASE	PCI express slotcard, 2 module slots, 1MHz, 16 DigIN, 16 DigOUT	249,00
PW104B	PC/104 power supply, OUT: 5V/5A	149,00
R8	relay card with 8 relays 6A/60V	59,00
SC-0R1	current shunt; 0.1Ohm, 1%, 3W, 4-wire connection	19,00
SC-A100	acceleration sensor, +/-100G, OUT: 40mV/g, 10Hz..1kHz	19,00
SC-D300	distance touch sensor, 40..300mm, Vcc 5V	19,00
SC-D800	distance touch sensor, 100..800mm, Vcc 5V	19,00
SC-F10	force sensor, 0..10kg, 2M..3kOhm	9,00
SC-H100	humidity sensor, 0..100% rel. humidity	19,00
SC-I10	current sensor, 1-10A AC	9,00
SC-L25	luminous intensity semiconductor sensor, 0..25µW/qcm	9,00
SC-M1000	magnetic field semiconductor sensor, +/-1000G, Vcc 5V	9,00
SC-P50	pressure sensor, +/-50kPa = +/-0.5bar	19,00
SC-R1	current shunt, 1Ohm, 1%, 3W	9,00
SC-S100	sound sensor, microphone capsule 23mm	9,00
SC-T100	temperature semiconductor sensor, 0..100°C, Vcc 5V	9,00
SC-TK350	thermocouple type K, 2m wire with welded thermocouple and connector	19,00
SC-TP300	temperature sensor PT100, 0..500°C, ceramics element	9,00
SC-U230	AC-transformer, 230/6V AC	9,00
SD-LS1	fork light barrier (infrared)	9,00
SD-LS2	reflective light barrier (infrared)	9,00
SD-MAG	package of 10 magnets NdFeB	9,00
SD-MS1	inclination switch	9,00
SD-MS2	motion switch	9,00
SD-PS1	positionswitch (Hall)	9,00
SD-PS2	position switch (Readswitch)	9,00
SD-RS1	rotary encoder (24=15°)	9,00
SD-SW1	ultra subminiature basic switch	9,00
SD-SW2	liquid level switch	9,00
SD-TS1	temperature switch (70°C)	9,00
SD-TS2	temperature switch (100°C)	9,00
SD-UKA	USB cable for 5V supply	9,00

BMCM Produkte sind in der Regel ab Lager erhältlich.

Bei einer Bestellung von nur 1 Stück erheben wir einen Kleinmengenzuschlag von Euro 15.-

Bei speziellen Lieferungen, sowie Express Sendungen erheben wir einen Zuschlag.

Alle Preise exkl. MwSt + Versandkosten

Artikelnummer	Bezeichnung 1	Preis €
SG-1X1000	single strain gauge, resistance 1000Ohm	9,00
SG-1X350	single strain gauge, resistance 350Ohm	9,00
SG-2X350	half-bridge strain gauge, resistance 350Ohm	9,00
SG-4X350	full-bridge strain gauge, resistance 350Ohm	9,00
SG-GLUE603	polyurethane adhesive for strain gauges, -30..+60°C	39,00
SG-GLUE610	epoxy adhesive for strain gauges, -270..+370°C	39,00
SG-GLUE711	cyanoacrylate adhesive for strain gauges, 0..+30°C	39,00
SG-KIT	tool kit for strain gauge applications	99,00
SG-SIL1613	silicone rubber for strain gauge coating and sealing, -30..+100°C	39,00
SI-AD10	acceleration sensor, +/-10G, dynamic	179,00
SI-AS10	acceleration sensor, +/-10G, static	179,00
SI-DI2	distance sensor (inductive), +/-1mm	179,00
SI-DI5	distance sensor (inductive), +/-2.5mm	179,00
SI-DP10	distance sensor (potentiometer), 10mm	39,00
SI-DP11	distance sensor (potentiometer), 11mm	49,00
SI-DP125	rotary encoder (potentiometer), 125°	39,00
SI-DP360	rotary encoder (potentiometer), 340°	39,00
SI-F1	force sensor, 1kg	49,00
SI-F10	force sensor, 10kg	49,00
SI-F100	force sensor, 100kg	99,00
SI-F500	force sensor, 500kg	99,00
SI-HT	humidity probe with temperature sensor, 0..90% r.h., 0..50°C	99,00
SI-I200	current clamp adapter, 200A AC	29,00
SI-IN30	inclination sensor, +/-30°	179,00
SI-P10	pressure sensor, 0..10bar	99,00
SI-TK1000A	thermocouple (type K) temperature sensor, isolated, -30..+1000°C	29,00
SI-TK1000B	thermocouple (type K) temperature sensor with cable, isolated, -30..+1000°C	39,00
SI-TP300A	PT100 Temperaturfühler (6mm Durchmesser), -30..+300°C	29,00
SI-TP300B	PT100 Temperaturfühler (3mm Durchmesser), -30..+300°C	39,00
SI-U230	bell transformer, 230 / 8V AC	29,00
USB-AD	USB measuring system in plug housing, 12 bit, 16 AnIN, 1 AnOUT, MR +/-5V, 4 DigIN, 4 DigOUT	100,00
USB-AD12F	USB measuring system, 12 bit, 20kHz, 16 AnIN; 1 AnOUT; 4 DigIN, 4 DigOUT	149,00
USB-AD16F	USB measuring system, 16 bit, 250kHz, 16 AnIN (isol.); 2 AnOUT (isol.); 4 DigIN, 4 DigOUT; 1 counter (isol.)	449,00
USB-PIO	digital USB measuring system in plug housing, 24 Dig I/O (TTL)	49,00
ZU-CASE	storage and transport case; incl. foamed plastic cushioning; color: red	49,00
ZU-CF2GB	CompactFlash, 2 GB UII	149,00
ZU-CFR	card reader for CF, USB connection	29,00
ZU-CS250R	current shunt, 250Ohm, for bmcm measuring systems	9,00
ZU-EW	DIN rail installation kit for euro-sized boards	19,00
ZU-IRS	infrared remote control (standard version)	49,00
ZU-IRX	infrared remote control (extended version)	69,00
ZU-KBS	USB keyboard for ePcII	69,00
ZU-PBOX-BU3	3-pole fitting socket with cabling prepared for box mounting	49,00
ZU-PBOX-BU6	6-pole fitting socket with cabling prepared for box mounting	49,00
ZU-PBOX-LAN	plastic housing with water-proof connectors für LAN, DC and Sync.	399,00
ZU-PBOX-MT	installation of the measurement and amplifier systems into ZU-PBOX incl. wiring	299,00
ZU-PBOX-PG	plastic housing with 8 PG; 3 DIN rails	299,00
ZU-PW10W	plug power supply, 12V, 10W	29,00
ZU-PW70W	desktop power supply, 24V, 70W, with connecting cable	79,00
ZU-SCHI	wall or DIN rail fastening kit	9,00
ZU-SI375M	10 fuses, 375mA, for MA-xx module amplifiers	9,00
ZU-TR	temperature reference with Sub-D37 plug for BP16	9,00
ZU15ST	15-pole Sub-D (soldering) plug with housing kit	5,00
ZU25BU	25-pole Sub-D (soldering) socket with housing kit	5,00
ZU25ST	25-pole Sub-D (soldering) plug with housing kit	5,00
ZU37BB	connector panel, 18x BNC and 37x banana sockets, Sub-D37	125,00
ZU37BU	37-pole Sub-D (soldering) socket with housing kit	5,00
ZU37CB	connector panel, 18x4-pole terminal conn. and 37x banana sockets, Sub-D37	125,00
ZU37CO	connector panel, 18x 4-pole terminal connectors, Sub-D37	83,00
ZU37SB	37-pole Sub-D gender changer (plug/female)	9,00
ZU37SS	37-pole Sub-D gender changer (male/male)	9,00
ZU37ST	37-pole Sub-D (soldering) plug with housing kit	5,00
ZU3B711	3-pole supply coupling of the 711 Binder series	9,00
ZU3DIN	3-pole DIN socket for power supply	5,00

BMCM Produkte sind in der Regel ab Lager erhältlich.

Bei einer Bestellung von nur 1 Stück erheben wir einen Kleinmengenzuschlag von Euro 15.-

Bei speziellen Lieferungen, sowie Express Sendungen erheben wir einen Zuschlag.

Alle Preise exkl. MwSt + Versandkosten

Artikelnummer	Bezeichnung 1	Preis €
ZU4ST	4-pole screw-type terminal blocks (package of 8)	9,00
ZU5S712	5-pole plug of the 712 Binder series for AAB input sockets	9,00
ZU5ST	5-pole screw-type terminal blocks (package of 8)	9,00
ZU9ST	9-pole Sub-D (soldering) plug with housing kit	5,00
ZUKA-SER9	9-pole null modem cable, 3m	9,00
ZUKA-USB	USB extension cable, 3m	9,00
ZUKA-VGA	standard VGA connecting cable, 1.8m	19,00
ZUKA10T	Twisted Pair cable, 3m	9,00
ZUKA16	cable with PC-bracket (Sub-D37 female) for bmcm slot cards	29,00
ZUKA25	1:1 connecting cable (Sub-D25 male/female), 1.8m	9,00
ZUKA37SB	1:1 connecting cable (Sub-D37 male/female), 1.8m	19,00
ZUKA37SS	1:1 connecting cable (Sub-D37 male/male), 1.8m	19,00
ZUKACL10T	crosslink cable, 3m	19,00
ZUST-HM3POL	3-pole connector type CA3 (Hirschmann)	15,00
ZUST-HM6POL	6-pole connector type CA3 (Hirschmann Electronics)	15,00